

# HENCHMAN®

## LADDERS FOR UNEVEN GROUND



SAFE PLATFORMS ● TRIPOD LADDERS ● BARROW TRAILERS

**FREE UK  
DELIVERY** (Mainland)

**4.9** ★★★★★  
Based on over 2,500 reviews

**5 YEAR  
WARRANTY**

**03333 444 229**  
**www.henchman.co.uk**

# What our customers think of Henchman

*I recently purchased an 8ft Tripod ladder from Henchman. The ladder is very well made and extremely stable. So much better than using a step ladder.*

– Domestic Customer, Shropshire

*The highest quality, lightest and most useful and adaptable step-ladder I have ever come across - I recommend it absolutely.*

– Domestic Customer, Devon

*Great ladder. Light, stable and easily adjusted.*

– Domestic Customer, Surrey

*This is possibly the best set of steps I have ever used.*

Thank you – Groundscare Company, Isle of Wight

*Henchman and all it's staff have provided an excellent service - one which equals the outstanding garden equipment that they sell. I am still the envy of my gardening friends and relatives that I own the wonderful Hi Step Senior. Very Many Thanks.*

– Domestic Customer, Shropshire

*Excellent quality. Quick delivery. Satisfied customer!*

– Domestic Customer, Bedfordshire

Since 1994 Henchman has pioneered the use of safer ladders and platforms when working at height in the garden. Over the years our product range has grown to include a number of other products offering ease as well as safety when tackling the tougher tasks. Now, we have over 22,000 customers like you who have a lot to say about Henchman...

*Got a high hedge? Get a Henchman! Brilliant!*

Professional Gardener, Kent



*As a long term customer I have found Henchman garden equipment efficient and invaluable.*

Commercial User – Cambridge



*This ladder has made a massive contribution to my confidence and feeling of safety when trimming high hedges and cutting back wisteria. Such a revolution in our garden, we now have two, of different heights.*

Domestic Customer, London



*A great piece of professional equipment that's perfect for domestic use. The marketing focus is on its garden applications, but it's also useful for DIY applications. I used to pay for someone to cut my hedges; I will recover the cost of the Henchman in circa two cuts. I thoroughly recommend the Henchman.*

Domestic Customer, Cambridge



*A light weight that punches into the heavy weight class. Allows an up close and personal encounter, and goes where other steps would never go. So versatile it's unbelievable. It's a simple idea, but then the best ones are.*

Domestic Customer, Harrow



**4.9** ★ ★ ★ ★ ★  
Based on over 2,500 reviews

The comments made above and all product and service ratings contained herein were independently gather by Trustpilot.com. Full details together more recent comments can be found on their website [uk.trustpilot.com/review/www.henchman.co.uk](http://uk.trustpilot.com/review/www.henchman.co.uk)

We take great care to ensure that, at the time of going to print, all contents of this brochure are accurate. However specification and dimension figures should be taken as approximate. Please call to check when critical. Photos are for illustrative purposes only and may differ slightly from current specifications.

# Our customers

70% of our customers are private householders with both small and large gardens. Some other notable customers are:-

## Royal Households such as:

- ✦ Buckingham Palace
- ✦ Balmoral Estate
- ✦ Highgrove House
- ✦ Thatched House Lodge

## Local Authorities such as:

- ✦ Corporation of London
- ✦ Cambridgeshire County Council
- ✦ Jersey Parks and Gardens
- ✦ Cheltenham Borough Council
- ✦ Dept of Agriculture, NI
- ✦ Swindon Borough Council

## Colleges, Hospitals, Enterprises such as:

- ✦ England Rugby
- ✦ Scottish National Heritage
- ✦ Veolia Environnement
- ✦ Bristol University
- ✦ Chepstow Racecourse
- ✦ Chichester Marina
- ✦ Jim's Mowing
- ✦ Countrywide Grounds Maintenance
- ✦ Harrow School
- ✦ Colchester Zoo
- ✦ Fulham Football Club
- ✦ Unilever Research
- ✦ Foscote Hospital
- ✦ Winchester College
- ✦ Lincolnshire Hospital Trust
- ✦ Oxford University

## Estates, Large Gardens (open to the public) such as:

- ✦ The National Trust
- ✦ The RHS
- ✦ Blenheim Palace
- ✦ Hampton Court Palace
- ✦ Wilton House
- ✦ Warwick Castle
- ✦ Woburn Abbey
- ✦ Eden Project
- ✦ CWGC

# Our Mission

- ✦ To prevent falls from ladders by providing purpose built safety ladders, designed for use on uneven and soft terrain
- ✦ No compromise on quality
- ✦ All Henschman Ladders are manufactured by an ISO 9001-2000 certified manufacturer
- ✦ All Tripod Ladders are certified to BS EN131 by BSI
- ✦ All Henschman ladders and platforms conform to WAHR 2005.
- ✦ Henschman Hi-Step voted: Best Garden Product at National awards.
- ✦ The Henschman team has over 50 years combined experience with which to help you.

# What's inside?

## TRIPOD LADDERS 6 - 11

Tripod Ladder Range	6 - 8
One Adjustable Leg Tripod ladder	9
Three Adjustable Leg Tripod Ladder	10
Professional Tripod Ladder	11

## SAFE PLATFORMS 12 - 21

Hi-Step range	12-15
Hi-Step for professionals	16
Hi-Step Specifications	17

## WHEEL BARROWS 18 - 19

Wheel Barrow Trailer range including specifications and accessories	18-19
---	-------

## WHERE TO FIND US

Find us at RHS Malvern Spring, RHS Chelsea Flower Show, RHS Hampton Court Palace and Malvern Autumn.

## HASSLE FREE RETURNS

If you order the wrong size or if you are unhappy with the product, you can return or exchange the product for FREE



## FREE DELIVERY

To mainland UK. Orders can take 1-5 working days for delivery. Delivery of Ladders and Wheelbarrows to non-mainland may be subject to additional charges, for more information see price list. All other destinations are quoted on request. Collection from Henschman by appointment only please. 30 day returns period

## Customer Support

Call us on 03333 444 229 - calls cost no more than a national rate call to an 01 or 02 number and count towards inclusive minutes on mobile phones.





**Hi Step Senior** - Pruning 'The Queen's Beast' at Hall Place with extended legs and the included access ladder fitted for easy climbing.

# Choosing the right Henschman for you

## No compromise on safety

In your feedback you constantly reaffirm that it is safety you want most from purchasing a platform in order to work at height.

### Henschman Ladders and Platform range

On a HENCHMAN platform you find you can work with genuine confidence from a lightweight, level and completely stable platform; on soft, uneven and sloping ground, with both hands free to get on with the job quickly, while handling potentially dangerous equipment.

Even lean your full weight against the guard rails to reach out knowing you won't topple – Henschman offers the safest hedge cutting platform your money can buy.

All Henschman Tripod Ladders and Hi-Step Platforms are manufactured by fully qualified welders, conforming to the highest quality management standards - ISO 9001 – 2000.

Henschman Ladders also conform to 'General Product Safety Regulations' 2005 and 'Work at Height Regulations' 2005 and they all carry a 5 year warranty.



Hi-Step Platform



Wheelbarrow



Tripod Ladder

### Platform Tripod Ladder range

For lighter work the Henschman Platform Tripod Ladder is also designed specifically for safe work on garden ground.

Very lightweight they provide an excellent option to improve on ordinary ladders and home made devices!

With a 5 year manufacturer's warranty for domestic and commercial users.



4.9 ★★★★★  
Based on over 2,500 reviews

### Hi-Step or Tripod Ladder?

Choose the right platform for your garden - you can straddle borders and step over shrubs with a Hi-Step or Tripod. Henschman Hi-Steps have guard rails you can lean your full weight against, forwards or sideways, for added safety and to reach across wide hedges. All Henschman Ladders are suitable choices for professionals who have to meet Work at Height Regulations. The Tripod Range is incredibly lightweight, and is very adept in getting into fruit or topiary tree canopies and very tight spaces.

### Commercial and Professional users

We hope it is quite clear that all Henschman products are of such robust quality so as to meet the often rigorous usage from the professional sector, as well as homeowners. However because of the varied nature of professional work, some products will be more suited than others in certain professional environments. There are Hi-Step add-on accessories designed to meet professional legislation in certain circumstances – see page 16.



### Protective clothing and safety

Kindly note that the use of protective clothing, including goggles and gloves is always recommended when

hedge cutting, even though not all of our photographs show it. Always read and adhere to user manual instructions when working at height. Extra copies are available from Henschman, free of charge.

### How to choose the right model for you

- 1 First, measure the heights of your smallest and highest hedges or places of work.
- 2 Then decide your preferred height for reaching across the top of it. The easiest working height is at stomach level, say three feet up from your feet. Chest height is pretty easy too at say four feet up from your feet. Holding a power trimmer or chain saw at shoulder height, five feet, is your upper limit.
- 3 Subtracting your preferred working height from the height of your tallest hedge gives you the lowest platform height suitable for this job. If you need a greater variety of platform heights consider the Extender. For Tripod Ladders, you can stand up to 3 rungs/feet from the top.
- 4 Note however that platforms' maximum heights will decrease when legs are adjusted to cope with sloping ground.
- 5 Example: Your highest hedge is 10'. You can cut it at shoulder height, 5'. So you need to stand on a 5' platform. We suggest the Hi-Step Midi or 8' Tripod Ladder if you've got shrubs or a border obstructing your access.

Still can't decide? Visit [www.henschman.co.uk/find-a-ladder/](http://www.henschman.co.uk/find-a-ladder/)

# Henchman Tripod Ladders



HENCHMAN 1 ADJUSTABLE LEG (LEFT) AND FULLY ADJUSTABLE PRO (RIGHT) - BOTH 10' / 3.0M

# Henchman Tripod Ladder range



**6' FULLY ADJUSTABLE TRIPOD** All three legs are adjustable by up to 18" (45cm), ensuring level rungs and complete stability on uneven or sloping ground.

## Designed to be safe on uneven ground:

Tripod ladders have been in use for centuries and have historically been used for reaching into fruit tree canopies, topiary work and awkward spaces. Three legs - with one or all of them adjustable - always stay in full contact with uneven and sloping ground, making the tripod much more stable than typical step ladders.

Re-developed in recent years, our Tripod ladder range allows you to work comfortably at height, even on sloping or soft garden ground, from a wide and stable base that won't wobble or suddenly sink in.



One or more adjustable legs allow you to keep the ladder level and stable, so you can get on with the job in hand with greater confidence and concentration. Wider ladder rungs make standing for longer periods more comfortable, because they are deeper. The ladder's narrow top and three-legged design make it easily manoeuvrable in very tight or cluttered spaces or to get into the canopy of trees. All Tripod Ladders are constructed from aluminium and are therefore rust-proof, tough for frequent use and **exceptionally lightweight**.

Uniquely, all Henchman Tripod Ladders provide the wider platform as standard. Choose from the range with either one adjustable leg or three adjustable legs, with 150kg weight capacity.

## With a Platform Tripod you can:

- ★ Remain level and stable by independently adjusting legs.
- ★ Avoid sudden sinking in or slipping because of wide clawed, anti-slip feet.
- ★ Work in greater comfort and safety from the wide platform rungs - standard on all our Tripods.
- ★ Reach into tree canopies, tight spaces and topiary.
- ★ Easily move around the garden due to the very lightweight design.
- ★ Choose from the range of 6' to 16', allowing comfortable working up to approximately 18' at chest height. Max. standing height is 3' below specified ladder size.
- ★ Trust in the high grade aluminium all welded alloy construction.
- ★ Weight tested to a 150kg Maximum Safe Working
- ★ Add optional rubber feet for indoor use and/or hard surfaces - eliminates skidding and floor damage.
- ★ Don't forget to consider the Hi Step Platform Ladder, the Tripods big brother, found on page 12.

▶ **For help in choosing the right Tripod or for choosing between the Hi Step or Tripod see page 5 or please call us.**



**14' FULLY ADJUSTABLE PRO TRIPOD LADDER**

# Henchman Tripod Ladder benefits

Henchman uniquely offer the combination of a Wider Standing Platform and Three Adjustable Legs

We offer three variations of our Tripod ladders, designed to be suitable for all varieties of ground and use.

- ✦ Our One Adjustable Leg Tripod is our most lightweight ladder, with its rear leg being height adjustable to allow for sloping ground towards or away from your working area.
- ✦ Our FULLY ADJUSTABLE and PRO Tripods are suited towards all terrain, including steep banks and steps, with all three legs being fully height adjustable.
- ✦ All our Tripod Ladders have a weight bearing capacity of 150kg for the user and their equipment, in accordance with BS EN 131-2:2010+A2:2017 - tested by BSI.

Product features	One Adjustable Leg	Fully Adjustable	Fully Adjustable PRO
Ground Level	Small slopes, flat	Uneven, hilly, steps, flat	Uneven, hilly, steps, flat
Wider Standing Platform	✓	✓	✓
Welded Aluminium Frame	✓	✓	✓
Fully Adjustable Rear Leg	✓	✓	✓
Fully Adjustable Front Legs		✓	✓
Clawed Feet	✓	✓	✓
150kg Weight Bearing Capacity	✓	✓	✓



## Why the Platform?

Our Wider Standing Platform allows you to work in greater safety and comfort across all terrain. Henchman offer the combination of a Wider Standing Platform and Fully Adjustable Legs on householder and professional ranges.

Tuck in and brace your knees against the frame to ensure you've got three or more points of contact with the ladder. The retracted rung above the platform gives room for you to stand into the frame of the ladder. This puts you in a much safer position, free from any chance of your feet slipping. You can then lean against the guard rail to work safely with both hands.



### Welded not riveted.

All Henchman Tripod Ladders are made from a light weight high grade welded aluminium, for added strength and durability.




### Clawed feet for added grip

All Tripods feature wide, clawed feet that dig into the ground preventing any slipping or sudden sinking common when step ladders are used on soft ground.

### Using your Tripod on delicate surfaces?

Henchman Rubber Feet fit snugly over the Tripods clawed metal feet, to provide grip and protection on delicate surfaces, such as tiles, wood or paving.



# 5 YEAR WARRANTY



# One Adjustable Leg Platform Tripod Ladder



6' ONE ADJUSTABLE LEG PLATFORM TRIPOD LADDER

## One Adjustable Leg Tripod Ladder

Most suitable for gentle slopes, steps, flat ground.

Three is the magic number! Once a Tripod Ladder is stood up, it is impossible for all three feet not to be in firm contact with the ground, no matter how uneven your garden is. And because of the wide triangular footprint that the splayed legs create you are almost certain to remain within its tipping points and therefore prevent wobbling.

In addition to being safe and stable on flat hard ground, by rotating the base and extending or retracting the rear leg, the One Adjustable Leg Tripod Ladder can handle most gentle slopes and bumps.

This is our lightest range of Tripod Ladders, ranging from just 6kg for a 6 foot, to 12kg for a 12 foot ladder. This makes carrying, transporting and storing a job for one person and makes using it the simplest of tasks.



12' PLATFORM TRIPOD Turned at an angle is ideal for house maintenance up to 16ft, above head height.

## One Adjustable Leg Tripod Ladder specifications

Model number/overall unit height	Maximum safe standing height	Approximate working height at waist to shoulder level	Footprint when in use	Storage dimensions when folded flat (length) x W/H (width/height). Depending on how stored	Ladder Weight	Maximum recommended weight capacity
12' 3.6m	9' 2.7m	12' - 14' 3.6 - 4.2m		144" x 59" 3.6m x 1.5m	12 kg	150 kg
10' 3.0m	7' 2.1m	10' - 12' 3.0 - 3.6m		121" x 59" 3.0m x 1.5m	10 kg	150 kg
8' 2.4m	5' 1.5m	8' - 10' 2.4 - 3.0m		96" x 50" 2.4m x 1.3m	8 kg	150 kg
6' 1.8m	3' 0.9m	6' - 8' 1.8 - 2.4m		70" x 33" 1.8m x 0.8m	6 kg	150 kg

# Fully Adjustable Tripod Ladder

10' PLATFORM TRIPOD Standing at 7' working comfortably at 11'



## Fully Adjustable Tripod Ladder






Most suitable for hills, slopes, steps, flat ground.

The Fully Adjustable Tripod Ladder still features all of the benefits of the One Adjustable Leg, such as the wide base, lightweight aluminium frame, wider standing platform, and clawed feet, but with the added benefit of having three fully adjustable legs. This allows you to individually adjust each leg according to the terrain, ensuring that the ladder is level, balanced and stable.

The Fully Adjustable Tripod ladder has a weight bearing capacity of 150kg for the user plus any tools or equipment.

If you are planning to use a Tripod ladder for professional purposes, or if it's likely to be used by a range of people, then we would recommend that you purchase the Fully Adjustable PRO Tripod, as seen on the next page. The Fully Adjustable PRO ladder has all of the same benefits, with thicker aluminium profiles for extra durability and longevity.

## Fully Adjustable Tripod Ladder specifications

Model number/overall unit height	Maximum safe standing height	Approximate working height at waist to shoulder level	Footprint when in use	Storage dimensions when folded flat (length) x W/H (width/height). Depending on how stored	Ladder Weight	Maximum recommended weight capacity
<b>12'</b> <b>3.6m</b>	9' 2.7m	12'-14' 3.6 - 4.2m		141" x 56" 3.6m x 1.5m	14 kg	150 kg
<b>10'</b> <b>3.0m</b>	7' 2.1m	10'-12' 3.0 - 3.6m		118" x 56" 3.0m x 1.5m	12.5 kg	150 kg
<b>8'</b> <b>2.4m</b>	6' 1.8m	8'-10' 2.4 - 3.0m		95" x 47" 2.4m x 1.2m	10.5 kg	150 kg
<b>6'</b> <b>1.8m</b>	3' 0.9m	6'-8' 1.8 - 2.4m		71" x 32" 1.8m x 0.8m	8 kg	150 kg
<b>5'</b> <b>1.5m</b>	2' 0.6m	5'-7' 1.5 - 2.1m		59" x 28" 1.5m x 0.7m	6.5 kg	150 kg



## Suitable for all terrains, indoors and out

Adjustable legs and slip on rubber feet, mean whether you are on uneven ground in the garden or working indoors, you know you're safe.

# Fully Adjustable PRO Tripod Ladder

**The Henchman Fully Adjustable PRO Tripod Ladder is the ONLY fully certified tripod ladder on the market**

We have invested in developing our ladders to be the best in the business. We are proud to say we are the only tripod ladder on the market to receive The British Standards Institution (BSI) Kitemark giving you the trust and confidence in our product.

Certified to BS EN131



## Fully Adjustable PRO Tripod Ladder - Most suitable for professional users who will using their tripod frequently

The Fully Adjustable PRO tripod ladder is built to be tough and long-lasting, withstanding regular transportation. Its adjustable legs can cope with even steeper slopes than the Fully Adjustable Tripod as well as working on uneven terrain and steps. When combined with the dual platform with rubber grip strip, it is the ideal ladder for keeping professionals safe when working at height.

Our Fully Adjustable PRO model is made from thicker aluminium, meaning it's more durable and robust. Designed specifically for regular use, this professional tripod is just what you need for working on a large variety of tasks. The professional tripod ladder has been designed with thicker rungs to withstand daily use with heavier work boots or steel toecaps.



## Fully Adjustable PRO Tripod Ladder specifications

Model number/overall unit height	Maximum safe standing height	Approximate working height at waist to shoulder level	Footprint when in use	Storage dimensions when folded flat (length) x W/H (width/height). Depending on how stored	Ladder Weight	Maximum recommended weight capacity
<b>16'</b> <b>4.8m</b>	13' 3.9m	16' - 18' 4.8 - 5.4m	106" 2.7m 69" 1.8m	189" x 69" 4.8m x 1.8m	24 kg	150 kg
<b>14'</b> <b>4.2m</b>	11' 3.3m	14' - 16' 4.2 - 4.8m	88" 2.3m 60" 1.6m	121" x 60" 4.2m x 1.6m	20 kg	150 kg
<b>12'</b> <b>3.6m</b>	9' 2.7m	12' - 14' 3.6 - 4.2m	78" 2.0m 56" 1.5m	141" x 47" 3.6m x 1.5m	17 kg	150 kg
<b>10'</b> <b>3.0m</b>	7' 2.1m	10' - 12' 3.0 - 3.6m	70" 1.8m 56" 1.5m	118" x 56" 3.0m x 1.5m	15 kg	150 kg
<b>8'</b> <b>2.4m</b>	6' 1.8m	8' - 10' 2.4 - 3.0m	55" 1.4m 47" 1.2m	95" x 47" 2.4m x 1.2m	12.5 kg	150 kg
<b>6'</b> <b>1.8m</b>	3' 0.9m	6' - 8' 1.8 - 2.4m	43" 1.1m 32" 0.8m	71" x 32" 1.8m x 0.8m	9.5 kg	150 kg

# Hi-Step Platform range



**HI-STEP MIDI (4'-6' platform height)** Ideal for reaching across wide garden walls or hedges.



**HI-STEP SENIOR (5'-7' platform height)** Get close and high without the need to lean against fragile surfaces.



**HI-STEP JUNIOR (3'-5' platform height)**  
Lean and cut a wide swathe of hedge from one position whether level or sloping ground.

## Safety above all

**You can work safely at height, when cutting hedges, pruning or doing maintenance jobs with a Henschman Hi-Step platform.**

Your Henschman will give you a level and stable, non-slip platform to work from, with both hands free to focus on the job in hand and the confidence to lean out and across with no fear of toppling - whatever the terrain.

Pioneered in 1994 by the Kitching family, father and son team, the Henschman Hi-Step remains **the** safest platform for working at height in the garden. The Henschman is built for a long, hard working life making tough tasks easier for you.

With greater confidence you will get the job done much quicker too. By leaning you can cut a huge stretch of hedge of 8' to 16' in one go, depending on the cutting equipment.

Each Hi-Step model can be adjusted to suit a variety of tasks - you can raise or lower the height of your platform by adjusting the legs up to 2'. *Add an extender* and you can gain up to 3' extra height and further variation (see page 15).

*Use the optional trolley* and let the wheels take the strain when you move your Hi-Step between jobs around the garden (see page 17).

▶ **To choose the right Hi-Step for you, see specifications on p17.**



**HI-STEP MAJOR (6'-8' platform height)** Ideal for high maintenance jobs around the home or garden.



**HI-STEP MAXI (7'-9' platform height)** With both hands free work safely and quickly.



**REAR GUARD STRAP**

## Why choose a platform from Henchman?

Please consider the following important facts.

- ✦ ISO 9001-2000 accredited manufacturer.
- ✦ Fully qualified aluminium welders.
- ✦ 3mm wall thickness of aluminium framework.
- ✦ Steel legs for key area strength.
- ✦ Recommended weight limit 150kg.
- ✦ Quick adjust feet reduce the need to use pins for leg adjustments.
- ✦ Ribbed, non-slip rungs.
- ✦ No pins required to secure access ladder.
- ✦ Long leg adjustment pins for easy engagement.
- ✦ Quick folding bracing bars, no loose parts.
- ✦ Rear guard strap as standard.
- ✦ Optimum footprint dimensions to prevent back legs from lifting, when leaning against guard rail.



**HI-STEP MAXI PLUS EXTENDER**  
Adds 3' of height to any Hi-Step.

**5 YEAR WARRANTY**

**TROLLEY WHEELS FOR EASIER TRANSPORTATION**  
Available as an optional extra.

**STORING HI-STEP**  
Folds in seconds making moving around and storage quick and easy, no tools required.

**5 YEAR WARRANTY**




Hi-Step feet will not sink into soft soil. They swivel and tilt 360° to follow the contour of the ground and adjust minutely by turning to ensure full contact with the ground thus eliminating wobble.



## With the Henchman Hi-Step you can:

- ✦ Choose the model to best suit your garden (*see specifications on p17*).
- ✦ Add an extender to any model to give an extra 3' platform height.
- ✦ Make the platform level and stable on soft, sloping, uneven ground by individually micro-adjusting the legs.
- ✦ Use the 'Quick adjust' feet to make small adjustments to eliminate wobble and make leg adjustments less frequent.
- ✦ Lean out as far as you can reach, in confidence that you won't topple, allowing you to get more done from each placement of the platform.
- ✦ Work safely, comfortably and quickly with both hands free to handle your trimmer, lopper, shears or saw.
- ✦ Rely on big flat feet, which will not sink.
- ✦ Climb in confidence on non-slip rungs and platform.
- ✦ Work from different platform heights by adjusting the legs (2'), or adding the extender.
- ✦ Cut between an 8' and 16' swathe each time you place the platform (depending on the cutting equipment).
- ✦ Prune climbing roses, clematis or wisteria without damaging the plants.
- ✦ Do without a mate to 'hold the ladder'.
- ✦ Move the platform by yourself, or use the optional trolley to make moving it even easier over longer distances.
- ✦ Achieve beautiful results without damaging shrubs and flower beds. The Hi-Step straddles and steps over most obstacles effortlessly.
- ✦ Quickly fold and store the platform flat, no loose nuts or bolts.


**MOVING** As an alternative to carrying, simply find the point of balance and walk the Hi-Step into position.





HI-STEP JUNIOR VS HI-STEP JUNIOR WITH EXTENDER

**HI-STEP MAXI WITH EXTENDER** Tackle even the toughest jobs with ease.



## Maximise options with a 3' Extender

When you include an Extender with a Hi-Step you have 5' of variation in platform height (2' in the legs and 3' in the Extender) to tackle a multitude of different jobs. Therefore, the solution for tackling a wide range of hedge heights will often be to choose a smaller Hi-Step and an Extender which can be added to any model.

### Example

The Hi-Step Midi platform adjusts from 4' to 6' by moving the legs up and down.

Add the Extender and the Midi also adjusts from 7' to 9', also by moving the legs.

In possession of a Midi and Extender therefore, you have a variable platform height of 4' to 9'.

With the Extender, overall stability remains, as extra bracing bars are included and a wider footprint is created.

The Extender is attached in between the adjustable legs and the main frame of your Hi-Step - a quick and easy job that does not require any tools.

 To choose the right Hi-Step, see specifications on p17.

### MAJOR AND EXTENDER

Safe and confident up high.



# Professional Users



To meet buildings maintenance regulations operators must add toe-boards and the intermediate guard rails to their Hi-Step. Standard Hi-Step platform (Left) and Pro-Add on platform and intermediate guard rails (right). Available as accessories.



## WAHR compliant

Employers, employees and self-employed gardeners have been required since the latest Work at Height Regulations came into force, to select the most suitable work platform for the job in hand, based on their risk assessment, and then ensure that the selected work platform is properly equipped.

The Henchman Hi-Step Professional meets these requirements. It is the most suitable alternative to ladders and step ladders for working at height on garden ground - the purpose for which it has been designed.

All models of the Professional Hi-Step are identical to the aluminium Hi-Step specifications on page 17. In addition to all the safety features described, the Professional includes intermediate guard rails and toe boards to meet buildings maintenance regulations.

All our ladders are weight tested to 150kg in accordance with BS EN131 guidelines.

To order Professional Hi-Step add-ons contact us or visit: [www.henchman.co.uk](http://www.henchman.co.uk)



**For help in assessing the need for professional add-ons, please call us.**





# Henchman Hi-Step specifications & accessories

Henchman Hi-Step specifications								
Model Name / Combination	Maximum hedge height to cut across top at 5' shoulder height	Platform at maximum height	Platform at minimum height	Footprint with legs fully extended to give maximum height	Storage dimensions when folded **	Weight (kg)	Carrying options	
<b>Maxi + ext</b>	17' 5.2m	12' 3.6m	10' 3.0m	82" 2.1m 92" 2.3m 28" 0.7m	Dismantle the extender (no tools required) then fold and store flat as below.	The aluminium extender weighs 6kg.	F*	
<b>Major + ext</b>	16' 4.9m	11' 3.3m	9' 2.7m	78" 1.9m 87" 2.2m 28" 0.7m			F*	
<b>Senior + ext</b>	15' 4.5m	10' 3.0m	8' 2.4m	74" 1.9m 82" 2.1m 28" 0.7m			F*, S	
<b>Midi + ext</b>	14' 4.2m	9' 2.7m	7' 2.1m	70" 1.8m 77" 1.9m 28" 0.7m			F*, S	
<b>Junior + ext</b>	13' 3.9m	8' 2.4m	6' 1.8m	66" 1.7m 72" 1.8m 28" 0.7m			F*, S	
<b>Maxi</b>	14' 4.2m	9' 2.7m	7' 2.1m	70" 1.8m 77" 1.9m 28" 0.7m	118" 3.0m 55" 1.4m	28	F, S	
<b>Major</b>	13' 3.9m	8' 2.4m	6' 1.8m	66" 1.7m 72" 1.8m 28" 0.7m	106" 2.7m 51" 1.3m	26	F, S	
<b>Senior</b>	12' 3.6m	7' 2.1m	5' 1.5m	62" 1.6m 67" 1.7m 28" 0.7m	94" 2.4m 47" 1.2m	24	F, S	
<b>Midi</b>	11' 3.3m	6' 1.8m	4' 1.2m	57" 1.5m 62" 1.6m 28" 0.7m	82" 2.1m 43" 1.1m	22	F, S	
<b>Junior</b>	10' 3.0m	5' 1.5m	3' 0.9m	53" 1.3m 56" 1.4m 28" 0.7m	70" 1.8m 38" 1.0m	20	F, S	

\*\*Please note: Measurements should be taken as approximate. If footprint or storage dimension is critical please seek confirmation from Henchman. Carrying options key: (F\*) Partially dismantle Extender to fold (F) Folded (S) Open like suitcases

Henchman Hi-Step accessories	
<b>Trolley</b>	Set of wheels on axle and framework to pull Hi-Steps with or without extender. See below.
<b>Extender</b>	Additional framework to increase platform height by 3'. One Extender fits all. See page 13.
<b>Professional add-ons</b>	Intermediate guard rail and higher toe board add-ons to meet buildings maintenance regulations.
<b>Guard Strap</b>	One supplied as standard.



Carrying a Hi-Step like a pair of suitcases (see above) maintains balance and keeps your back straight. For long distances the Hi-Step can be moved on the optional trolley wheels either folded or set up ready to use. Trolley wheels can be left in place when climbing onto the Hi-Step.

# Wheel Barrow range



## High capacity and well balanced

Built rugged to deal with all kinds of garden material the 350 and 200 Wheel Barrow Trailers ride on a galvanized steel undercarriage and are convertible from Wheel Barrow to Trailer and back, even when fully loaded, in under a minute! The wide-mouth non-corrosive tubs are made to last from tough single skin polyethylene. Well balanced on two wheels, the axle will take the strain of each load, not your back.

## With the 350ltr and 200ltr Wheel Barrow Trailers you can:

- ✦ Convert into a trailer for towing heavy loads in under a minute – even when fully loaded.
- ✦ Move as much as 5 times more material in one go than with a standard wheelbarrow.
- ✦ Push or pull the load, with one hand or two, without risking your back.
- ✦ Tip the tub and its contents out of the frame.
- ✦ Tip and empty the load with the draw bar still attached.
- ✦ Use the tub for wet loads, and even soak hay, without rusting the tub.
- ✦ Built for a long hard outdoor working life.
- ✦ Completely remove the tub to use for pond clearing.

### Barrow Trailer specifications

	350ltr	200ltr
Capacity	350 litre	200 litre
Loading	250kg	250kg
H/W/L	750/850/ 1570mm	650/850/ 1550mm
Accessories	DB: J or BH	DB: J or BH

Draw Bars = DB, Jaws = J, Ball & Hitch = BH

Order by phone or online at [www.henchman.co.uk](http://www.henchman.co.uk)

**200ltr** One handle makes it just as easy to pull as it is to push.



**350ltr** A high capacity wheel barrow or trailer, which can be converted when fully loaded in under 30 seconds.



## 135L Heavy-duty Wheelbarrow

Our small but strong garden wheelbarrow makes gardening and DIY jobs easier. Its compact size provides great manoeuvrability around different terrains and uneven ground, making it the perfect wheelbarrow for narrow spaces.

And, with a capacity of 135 litres, you can still move plenty of waste quickly and easily, from garden clippings to logs and compost. It may be small in size but it's certainly strong enough to take heavier loads.

We've designed our two wheel wheelbarrow with balance in mind, meaning that you can carry loads with more control. You can transport what you need to with ease with our 135L wheelbarrow - no more accidental tipping! This extra stability also makes our wheelbarrow ideal for carrying heavier loads to push and tip.

Designed with strength and longevity in mind, our barrow is manufactured with a galvanised steel and a polyethylene plastic tub. This is a heavy-duty plastic that's easy to lift, manoeuvre and is non-corrodible - just what you need when working in British weather.





PHOTO TAKEN AT DAVID AUSTIN ROSES

Henchman Ltd, Unit 10, Snarlton Farm, Melksham SN12 7QP  
[www.henchman.co.uk](http://www.henchman.co.uk)  
[info@henchman.co.uk](mailto:info@henchman.co.uk) Tel: 03333 444 229  
VAT Reg. No. 641 7928 19 Registered in England No. 3041024

Discounts not valid on accessory only purchases. Cannot be combined with other offers, subject to product availability, must pay in full with order, future offers provide via email only, free delivery applies to standard service for mainland UK only. Submission of email address confirms your acceptance of occasional messages from Henchman only. You may unsubscribe at any time.